

TOSHIBA
Leading Innovation >>>

- > Black & White MFP
- > Up to 120 PPM
- > Departmental Workgroup
- > Copy, Print, Scan
- > Secure MFP
- > Eco Features



e-STUDIO™ 907/1057/1207



The MFP that can help your business thrive.

If you are looking for ways to help your business grow even faster, Toshiba has the perfect solution: the e-STUDIO1207 series. It has the speed, reliability and paper handling capabilities that are needed to fuel your productivity in powerful ways.

Fast and phenomenal.

From the very get-go, you'll appreciate what the e-STUDIO1207 series has to offer. With a warm-up time of 3.5 minutes and a first copy out time as fast as 3.2 seconds, you can use the intuitive, 10.1" finger swipe touch panel to select what you need, and how you need it handled. At 90, 105 and 120 pages per minute respectively, you'll also get it right when you need it. Scanning speed is an amazing 120 originals per minute (opm) for single sided documents and an even faster 200 opm for double sided.



Keep the work flowing with time saving features like tandem drawer paper supply and interposer, controlled from the easy-to-use colour touch panel.

The workflow workhorse.

Outstanding image quality at 1,200 x 1,200 dpi is consistently impressive, even across long print runs. You can rest assured documents of all sizes will turn out precise and accurate, run after run after run. And, you can use a variety of media – up to 120lb index. Need more toner? Simply replace the toner cartridge while the job is still running.



e-STUDIO™ 907/1057/1207

Everything you need, even faster.

Increasing production while decreasing the time it takes can make a big difference for businesses of all sizes. When the demand is great, Toshiba offers a solution that's even greater.



Even the smallest configurations offer exceptional speed, reliability and performance.

- Fast First Copy Out Times
- High Speed Scanning
- Up to 13,500-Sheet Capacity
- Dual Feed Paper Drawer
- Tab Printing Capability
- 10.1" Colour Touch Panel
- Scan-to & Print-from USB

Efficiency configured your way.

The e-STUDIO1207 series has it all, only faster. Copy, print, and scan with a myriad of paper handling, input and finishing options, not to mention an enormous paper capacity, genuine Adobe PostScript support, ample document storage and a low operating cost. Create whatever configuration works best for your particular needs by choosing from high capacity stackers, large capacity paper trays, folding units and finishers. It's high speed functionality configured just the way you want it.

Lead with innovative technology.

There are several advantages that make the e-STUDIO1207 series the most distinctive choice. An ultra fast processor with more than enough memory allows you to tackle larger jobs in less time and process difficult tasks without breaking stride. Thanks to Gigabit Ethernet support, you can transfer extra-large files at breakneck speeds. In addition, a 1 Terabyte HDD will store as many as 35,000 pages or 5,000 files. It's everything you need and more of what you want.



A large 250-sheet Duplex Single Pass Feeder (DSPF) handles your biggest jobs with ease. Also take advantage of a number of finishing options to produce professional looking brochures and booklets.

TOSHIBA

Leading Innovation >>>

Productivity that's safe, secure and good for the environment.

As data security and environmental responsibility become increasing concerns, Toshiba continues to stay well ahead of the demand. Both have been integral to our continuing innovations.



Security matters.

Businesses need to keep their data where it belongs. That's why we have put many safeguards in place and are continually working to increase data security. The e-STUDIO1207 series includes Data Overwrite, Encryption, Authentication, Hidden Pattern Printing and Image Logs to help data stay secure. In addition, an Erase Private Data feature makes it easy to remove all stored information instantly.

Greener and cleaner.

Our increasing impact as a company is partly due to our success in reducing the environmental impact of businesses worldwide, including our own. The Toshiba e-STUDIO1207 series is no exception, being RoHS Compliant and Energy Star rated. It utilizes CO₂ reducing plastics and toner, Energy Save and Eco Modes, Enhanced Power Shut-Off and Eco Scan as well as a reduced TEC value. After all, working to preserve our environment is certainly worth the effort.

A convenient status indicator changes colour, runs solid or blinks to let you know when the MFP needs attention.

A variety of options gives you the flexibility to configure an MFP that perfectly suits your specific needs. All with the speed, reliability, and quality you've come to expect from Toshiba.



Multifunctional power in action.

Not that we could fit all the features and benefits of the e-STUDIO1207 series on one page, but take a look at these, for starters.



Ease of use

A control panel with touch swipe functionality allows for intuitive use. A retractable pulldown keyboard is easily accessible on the front panel to address text-heavy tasks. And, if you need help, access to the entire user manual is at your fingertips.



Picking up the pace

You have your choice of impressive speeds – 90, 105, or 120 pages per minute. First Copy Out Times are under 3.2 seconds for the e-STUDIO1057/1207 and 4 seconds for the e-STUDIO907.



Workhorse performance

Up to 1,000K monthly copy volume and a hefty toner yield of 120K* help keep your business running smoothly.



Massive paper handling

There's plenty of paper for really big jobs with a 13,500-sheet maximum paper capacity. Not only that, you can select from 9 paper sources plus 2 insert sources that will handle up to 160 lb index.



Advanced technology

5 GB RAM handles large jobs in very little time. And, you can process the toughest jobs and realize concurrency without degradation. Also, a 10/100/1000 BaseT Gigabit Ethernet connection enables transferring of large files quickly. A 1 Terabyte HDD can store 35,000 pages while performing all of the impressive MFP functions.



Network print and scan

PCL6 and genuine Adobe PostScript 3 come standard. Other standards include USB-direct printing and scanning as well as direct print from FTP, web page, email and SMB.



Various finishing options

Among these are a 100-Sheet Stapler Finisher and a 100-Sheet Stapler Finisher with Saddle Stitch, as well as Folding and Post Inserter options.



High security

Data Overwrite, Encryption, Authentication, Hidden Pattern Printing, and an Image Log feature help keep your data safe. The Erase Private Data function makes it easy to remove stored data instantly.



Environmentally friendly

RoHS Compliance, Energy Star rated, CO₂ reducing plastics and toner, Energy Save and Eco Modes, Enhanced Power Shut-off and Eco Scan are combined for an impressively eco-friendly series.



- Black & White MFP
- Up to 120 PPM
- Departmental Workgroup
- Copy, Print, Scan
- Secure MFP
- Eco Features

Main Specifications			
e-STUDIO907/1057/1207	Base Models Include LCD, 250-Sheet DSPF, 3,000-Sheet Paper Capacity (Two Tandem 2,000-Sheet Trays/Two 500-Sheet Trays), 1-TB Hard Disk Drive, PCL6/Adobe® Postscript® 3™ Network Printing, Colour Network Scanning, And Retractable Keyboard		
Type	Console, Monochrome Multi-Function Digital Document System		
Display	10.1" (Diagonally Measured) Colour Dot Matrix High-Resolution Touch Panel Tilting Display 1024 x 600 Dots (W-SVGA)		
Functions	Copy, Print, Network Print, Network Scan, And Document Filing		
Copy System	Dry Electrostatic Transfer/Dual Component Developer/Magnetic Brush Development/OPC/White LED Exposure/Heat Roller Fusing		
Max Original Size	11" x 17"		
Copy Size	Min. 5.5" x 8.5", Max. 11" x 17" + 12" x 18"		
Copy Speed	90/105/120 PPM (8.5" x 11")		
Multiple Copy	Max. 9999 Copies		
First Copy Time (In Seconds) ²	e-STUDIO907	e-STUDIO1057	e-STUDIO1207
	Platen Glass	4.0	3.2
	DSPF	6.3	5.5
Warm Up Time	210 Seconds		
Magnification	25% to 400% in 1% Increments (with Document Feeder 25%-200%)		
Original Feed	250-Sheet DSPF		
Scan Speed	DSPF Scan: Up to 200 (Monochrome or Colour)		
Original Sizes	5.5" x 8.5", 8.5" x 11", 8.5" x 11" R, 8.5" x 14", 11" x 17"		
Paper Capacity	Std. 3,000 Sheets/Max. 13,500 Sheets		
Paper Feed Sizes	Standard: Tandem Tray 1 - 1200 Sheets (Letter Size), Tandem Tray 2 - 800 Sheets (Letter Size), Trays 3/4 - 500 Sheets Ea. (Letter/Legal/Ledger/Statement/12" x 18"), Optional: Multi-Bypass Tray (for Machine) - 100 Sheets (Letter/Legal/ Ledger/Statement/ 12" x 18"), Multi-Bypass (for LCT) - 500 Sheets (Letter/Legal/ Ledger/Statement/12" x 18"), LCT (2-Drawer) - 2,500-Sheets Each Drawer (Letter/Legal/Ledger/12" x 18"), Letter LCC - 3,500 Sheets (Letter), 3,000 Sheets (Letter/Legal/Ledger)		
Paper Weights And Types	Tandem Trays - 16-28 lb Bond, Trays 3/4 - 16 lb Bond to 100 lb Bristol, Multi-Bypass Tray (for Machine) - 15 lb Bond to 110 lb Cover, Multi-Bypass Tray (for LCT) - 15 lb Bond to 100 lb Bristol, LCT (2-Drawer) - 15 lb Bond to 110 lb Cover, Letter LCC/Ledger LCC - 16 lb Bond to 100 Bristol. Supported Paper Types Include Thin, Plain, Recycled, Colour, Letter Head, Pre-Printed And Pre-Punched, Embossed and Glossy		
Duplexing	Standard Automatic Duplex Copying and Printing		
Cpu	Up to 1.8 GHz Multi-Processor Controller		
Interface	RJ-45 Ethernet (10/100/1,000 Base-T), USB 2.0 (2 Host Ports, Front and Rear), USB 2.0 (1 Device Port)		
Memory	Standard 5 GB		
Hard Disk Drive	1 TB		
Copy Resolution	Scan: 1200 x 1200 dpi / 600 x 600 dpi		
Exposure Control	Modes: Text, Text/Printed-Photo, Printed-Photo, Text Photo, Photo, Map, Pale-Colour. Settings: Auto or 9 Step Manual		
Halftone	256 Gradations/2 Levels (Monochrome)		
Copy Features	Electronic Sort, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Image Preview/Edit, Auto Tray, Paper Type Selection Switching, Rotate Copy, Reserve Copy, Tandem Copy, Book Copy, Margin Shift, Edge/Center Erase, Book Divide, Dual Page, Cover/Insert Page, OHP Insert, Job Build, Card Shot, Blank Page Skip, Mirror/B/W Reverse, Proof, Pamphlet, Watermark, Custom Image, Job Programs		
Account Control	Up to 1,000 Users, Supports User-Number Authentication (On Device), Login Name/ Password or Login Name/Password (Via LDAP Server) for Copy, Print, Scan, Fax and Document Management		
Accessibility Features	Tilt Front Panel, Adjustment of Key Touch, Document Feeder Free Stop, Job Programs, Remote Front Panel, Universal Grip for Paper Trays, and Disable Screen Timeout		
Environmental Standards	International Energy Star Program Ver. 1.2, Law on Promoting Green Purchasing, European ROHS (Restriction of Hazardous Substances)		
Power Source	AC 208-240 VAC, 60 Hz, 15 Amps		
Power Consumption	Maximum: 3.5 kW or Less		
Weight	Approx. 650 lb		
Approx. Dimensions	42.75" (W) x 31.25" (D) x 48.75" (H)		
Network Printing System (Standard)			
Pdl	PCL® 6 Compatible, True Adobe®, Postscript®		
Resolution	1200 x 1200 dpi		
Print Speed	90/105/120 Pages Per Minute (8.5" x 11")		
Print Drivers	Windows Server® 2003-2008, Windows XP, Windows XP x64, Windows Server 2003-2008 x64, Windows Vista®, Windows Vista® x64, Windows 7, Windows 7 x64, Mac OS X (Including 10.4.11, 10.5-10.5.8, 10.6.5-10.6.8, 10.7-10.7.2), All Mac PPD		
Features	Auto Configuration, Continuous Printing, Electronic Sorting, N-Up Printing, Duplex Printing, Transparency Inserts, Margin Shift, Image Rotation, Different Cover Page, Poster Print, Job Bypass Print, Job Retention, Confidential Print, Proof Print, User Authentication, Image Stamp and Watermarks. Additional Features: Multiple Pamphlet Print, Network Tandem Print, Carbon Copy Print Mode, Different Cover Page/Last Page/Other Page, form Overlay, Tab Paper Settings, Tab Printing, Chapter Inserts and Page Interleave		
Direct Printing	File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compressed PDF/A, and Postscript. Methods: FTP, Web Page, E-Mail, Network Folder & USB		
Resident Fonts	80 Outline Fonts (PCL), 136 Fonts (PS)		
Interface	RJ-45 Ethernet 10/100/1,000 Base-T, USB 2.0		
Operating Systems	Windows Server 2003-2008, Windows XP, Windows Vista, Windows 7, Mac OS 9-9.2.2, Mac OS X 10.2.8, 10.3.9, 10.4.11, 10.5-10.5.8, 10.6-10.6.5, Novell® Netware® 3x, 4x, 5x, Sun® OS 4.1x, Solaris® 2x, Unix®, Linux® and Citrix® (Metaframe, Presentation Server 4, 4.5) and Windows Terminal Services		
Network Protocols	TCP/IP (IPv4, IPv6, IPsec) SSL (HTTP, IPP, FTP), SNMPv3, SMTP, POP3, LDAP, 802.1x for Windows and Unix. LPD and LPR for Unix. IPX/SPX® for Novell Environments and EtherTalk®, AppleTalk® for Macintosh® Environments		
Printing Protocols	LPR, IPP, IPPS, PAP, Raw TCP (Port 9100), FTP and Novell Pserver/Rprinter		
Network Security	IP/Mac Address Filtering, Protocol Filtering, Port Management, User Authentication and Document Administration		
Security Standards	IEEE-2600TM-2008, DoD (NSTISSP) #11, DoD Directive 8500.2,DoD (DISA)		
Network Scanning System (Standard)			
Scan Modes	Standard: Colour, Monochrome, Grayscale		
Max. Original Size	11" x 17"		
Optical Resolution	600 dpi		
Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi		
Image Formats	Monochrome: TIFF, PDF, Encrypted PDF, XPS, PDF/A Colour/Grayscale: Colour TIFF, JPEG, PDF, Encrypted PDF, PDF/A, Compressed PDF		
Network Protocols	TCP/IP & SSL (Includes HTTP, SMTP, LDAP, FTP, POP3), SMB, ESMTPE & 802.1x		
Network Security	E-Mail Server User Authentication for LDAP and Active Directory		

100-Sheet Stapler/Finisher (MX-FN21: Option)	
Type	4,000-Sheet Console Stapler Finisher (100-Sheet Stapling)
Output Trays	Upper Tray: Moving Offset Tray (Up to 1,500 Letter Size Sheets) Middle Tray: 250 Sheets (Letter Size, Non-Stapled) Lower Tray: Moving Offset Tray (Up to 2,500 Letter Size Sheets)
Stapling Capacity	Up to 100 Sheets (Letter/Statement)
Stapling Media	Plain Paper, Letter/Legal/Ledger Size or Mixed
Stapling Positions	1 Front, 1 Rear, or 2 Point Stitching
Hole Punching	Optional Three-Hole Punch Unit MX-PN13B
Power Source	120 VAC, 60 Hz, 15 Amps
Power Consumption	200W/350W with MX-MF10
Weight	Approx.: 134.5 lb
Dimensions	Approx.: 30.75" (W) x 30" (D) X 41" (H) (with Tray Extended)
100-Sheet Stapler/Saddle Stitch Finisher (MX-FN22: Option)	
Type	4,000-Sheet Console Stapler Finisher (100-Sheet Stapling)
Output Trays	Upper Tray: Moving Offset Tray (Up to 1,500 Letter Size Sheets) Middle Tray: 250 Sheets (Letter Size, Non-Stapled) Lower Tray: Moving Offset Tray (Up to 2,500 Letter Size Sheets)
Stapling Capacity	Up to 100 Sheets (Letter/Statement)
Stapling Media	Plain Paper, Letter/Legal/Ledger Size or Mixed
Stapling Positions	1 Front, 1 Rear, or 2 Point Stitching
Saddle Stitch	Center Stitch/Center Fold (2 Staples) Letter/Legal/Ledger Paper Sizes
Saddle Stitch Max. Sets	Up to 5 Sets (16-20 Sheets Per Set)/10 Sets (11-15 Sheets Per Set)/15 Sets (6-10 Sheets Per Set)/25 Sets (1-5 Sheets Per Set)
Hole Punching	Optional Three-Hole Punch Unit MX-PN13B
Power Source	120 Vac, 60 Hz, 15 Amps
Power Consumption	200W/350W with MX-MF10
Weight	Approx.: 134.5 lb
Dimensions	Approx.: 30.75" (W) x 30" (D) x 41" (H) with Tray Extended
Insertor (MX-CF11 Option)	
Type	Standing, 2 Trays
Paper Capacity	Upper Tray: 200 Sheets, Lower Tray: 200 Sheets (20 lb Bond)
Paper Weight	16 lb Bond to 100 lb Bristol (Paper Feeding)
Paper Size	Up to 12" x 18"
Power Consumption	70 W or Less
Power Source	24 Volts (Supplied by Main Unit)
Dimensions	21.5" (W) x 30" (D) x 50.5" (H)
Weight	Approx. 51 lb
Multi-Folding Unit (MX-FD10 Option)	
Type	Floor Standing
Dimensions	13.5" (W) x 30.5" (D) x 41.5" (H)
Weight	Approx. 146 lb
Power Source	Powered by MX-FN21/FN22 Finisher
Power Consumption	Maximum: Standby: 23 W or Less, in Operation: 150 W or Less
Folding Mode	Z-Fold, C-Fold, Accordion-Fold, Double-Fold and Half-Fold
Optional Equipment	
MX-MFX1	Bypass Tray for Main Unit
MX-LC12	A4LCC
MX-RB16	Relay Unit for LCT
MX-LC13	A3LCT
MX-MF11	Bypass Tray for A3LCT
MX-RB18	Curl Correction Unit
MX-CF11	Insertor
MX-RB13	Relay Unit
MX-FD10	Paper Folding Unit
MX-FN21	100 Staple Finisher
MX-FN22	100 Staple Saddle Stitch Finisher
MX-PN13B	Punch Unit for FN21/22
MX-RB17	Connection Kit for LCT
MX-SL10N	Status Indicator
MX-ST10	Stacker
MX-CA10	Paper Cart for Stacker
MX-TM10	Trimmer Unit for MX-FN22
MX-EB11	Enhanced Compression Kit
MX-EB15	Mirroring Kit
Supplies	
T1207U	Toner Cartridge (Yield 120K @ 5%)
6LS00016000	Developer D1207
Staple2400	Staple Cartridge (for MX-FN22 - Saddle)
Staple2600	Staple Cartridge (for MX-FN21/FN22)



This is Class 1 laser product complying with IEC60825-1

Designs and Specifications subject to change without notice. For best results and reliable performance, always use supplies manufacturer or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership or Toshiba Business Solutions Branch for availability. Toner yields are estimates based on 6% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system.

Corporate Office	75 Tiverton Court Markham, Ontario L3R 4M8
Phone:	(905) 470-3500
Fax:	(905) 470-3459
Web Site	www.toshiba.ca